

ALTOZ®

ALWAYS AHEAD®





ALTOZ

TR7

THE POWER OF ALTOZ *INNOVATION* ▶



Get on an Altoz.

Altoz innovation waits for no one and that's why we're always ahead. Our tracked machines keep revolutionizing the industry, making your day safer, more productive and more comfortable. When you use an Altoz mower, you'll do more and go further.

See what's possible when you get on an Altoz.

COMPACT TRACKED TOOL CARRIER



THE **SWITCH**[™]

MULTI-FUNCTIONAL | MULTI-SEASONAL



ALTOZ

SWITCH

SWITCH

54"

ALTOZ

SWITCH™

Whatever the task, Altoz Switch attachments connect quickly and easily.



MULTI-TASKING

Maximize productivity and efficiency with a versatile line of attachments.

SPEED

Hydrostatic transmissions with speeds up to 7 mph

TRACKS

9" wide tracks

ADJUSTABLE AXLE WIDTH

42" or 52"

ENGINE

34.5 hp Kawasaki® FX820V EVO EFI

DROP, SWAP & GO

The Altoz Switch delivers the stability and mobility of tracks and pairs it with the versatility and functionality of a broad range of interchangeable attachments. The Switch is fully capable of handling multiple tasks and terrain in any season.

**SEE OUR
FULL LINE
OF SWITCH
ATTACHMENTS &
SPECS**



Switch Accessories

SNOW BLOWER

Quickly and efficiently clear snow from sidewalks, driveways or anywhere else. 44" widths, 2-stage, belt driven. Hydraulically-adjustable chute rotation and electrically-adjustable chute angle.



V-PLOW

Move snow and light aggregate quickly and efficiently. 50" blade width (44" width in angled and V-position). Angle left, right, straight, scoop or V-position with easy hydraulic adjustment.



POWER ANGLE BROOM

Ideal for year-round cleaning of parking lots and sidewalks, or for lawn dethatching or leaf removal. 48" straight width, 44" angled. Angle left, right or straight with the touch of a button.



STRAIGHT BLADE

Handle snowbound walkways and light aggregate in tight areas with ease. 50" blade width, 44" width angled. Hydraulic adjustment for angle, float feature. Cutting edge features adjustable trip tension.




BRUSH CUTTER

Brush clearing made easy. Clear trails, ditches, and reclaim overgrown areas. 44" cutting width, 2-spindle counter rotating design, four swing blades absorb impact when contacting solid objects.



ALL-TERRAIN MOWER

Power through rough terrain, tackle slopes, traverse roadsides and reclaim overgrown areas. 61" cutting width, 3-spindle design, six swing blades forged and heat-treated for durability.



DROP SPREADER

Make quick work of sidewalks and pathways, with precise coverage drop from 30" to 36" spread width. Pair with Snow Blower, V-Plow, Straight Blade or Power Angle Broom to complete two tasks at once.



TRACKED STAND-ON MOWERS



TSX SERIES

The world's first tracked stand-on mower.



TSX

ALTOZ TSX

ALTOZ

TSX 56i

Многоходовый Блокатор Пали Кувалдой


TSX 561 i

The **TSX 561 i**, takes on difficult terrain jobs others can't mow safely by combining the fast maneuverability of a stand-on mower with the unmatched steep terrain mowing capabilities of the Altoz track system.



TOUGH TRACKS TREAD LIGHTLY

All-terrain Tracks are ideal for side hilling, low lands and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain. The patented rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction.



WET AREAS

More control for mowing around water features, ditches and low areas.



SLOPES

Mow slopes safely with high traction and minimal compaction.




TALL GRASS & UNRULY TERRAIN

Reclaim your property and tame even the harshest terrain.

TRACK BENEFITS

The TSX's tough tracks bridge over uneven terrain and provide a smooth, comfortable ride on rough ground.



TRACKED MOWERS



WHEELED MOWERS

POWERFUL ENGINE

29.5 hp Kawasaki FX 852cc EFI engine with integrated electronic throttle control powers through tough mowing conditions. EFI fuel management adjusts power to load, keeping blade tip speed constant and ground speed steady.

RESPONSIVE, SMOOTH TRANSMISSION

High-performance commercial Hydro-Gear® PR 16cc pumps and Parker® TF 195cc wheel motors deliver quick response to the rear Altoz track system and smooth control for cutting speeds up to 10 mph.

SMARTRAC/PRO



The SmarTrac™ Pro control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.

EXCLUSIVE DECK OPTIONS


Equipped with Altoz's exclusive 61" HV All-terrain Deck for rough cutting or 61" Finish Cut Aero Deck cutting system with adjustable baffles for a professional finish cut.

61" HV ALL-TERRAIN DECK

The Altoz HV All-terrain Deck is offset and constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heat-treated for fixed obstacles and exceptional long-lasting sharpness.

61" FINISH CUT AERO DECK™


Exclusive Finish Cut Aero Deck is .315" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



Not all features are available on all models. Check the specifications table or ask your dealer for details.

SMOOTH RIDE

The TSX's TorqFlex™ front suspension and rear torsional axle suspension work together to bridge uneven terrain, delivering stability, and a smooth ride. Additionally, an adjustable coil spring over shock suspension operator platform provides operator comfort.



**SEE OUR
FULL LINE
OF TSX MODELS**



TRX SERIES

When you find yourself in the rough.



TRX 766 i

The **TRX 766 i SERIES** offers the ultimate workhorse for the toughest, most challenging terrain and environments.

POWERFUL ENGINE

The TRX 766 i features a powerful and efficient Kawasaki FX 38.5 hp EFI engine to maximize overall performance, fuel economy and provide reliable starting.

TRACK BENEFITS

The TRX's tough tracks bridge over uneven terrain and provide a smooth, comfortable ride on rough ground.

ROLL-OVER PROTECTION SYSTEM

Our roll-over protection system can be easily folded down to avoid low hanging limbs.

12-WAY ADJUSTABLE SEAT


Combined with our suspension system, the 12-way adjustable high-back suspension seat with arm rests delivers the industry's smoothest ride.

DUAL FUEL TANKS

Two 7-gallon gas tanks mean fewer stops for refueling.



Adjustable
12-way seat



TOUGH TRACKS TREAD LIGHTLY

The patented TRX rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction. All-terrain Tracks follow the contour of the ground and provide a smooth ride. The 11" wide tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

HEAVY DUTY TRANSMISSION

Heavy-duty, commercial Hydro-Gear® ZT-5400 dual range transmissions. Planetary final drive gear reduction delivers maximum torque and durability.



SMARTRAC/PRO



The SmarTrac™ Pro control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.

EXCLUSIVE DECK OPTIONS

Equipped with Altoz's exclusive 66" HV All-terrain Deck for rough cutting or 66" Finish Cut Aero Deck cutting system with adjustable baffles for a professional finish cut.



66" HV ALL-TERRAIN DECK

The Altoz HV All-terrain Deck is constructed of industry-exclusive 7-gauge laminated steel with six swing blades and a sloped back rear discharge that can process a high volume of material and allows for a closer cut underneath and around immobile objects. Our proprietary pivoting blades are forged and heat-treated for exceptional, long-lasting sharpness.




66" FINISH CUT AERO DECK™

Exclusive Finish Cut Aero Deck is .270" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.

Not all features are available on all models. Check the specifications table or ask your dealer for details.

TORQFLEX™ SUSPENSION

The TRX's TorqFlex™ front suspension and rear torsional axle suspension work together to bridge uneven terrain, delivering stability, a smooth ride and reduced operator fatigue.



**SEE OUR
FULL LINE
OF TRX MODELS**

TRX 561 i

The **TRX 561 i** is an ideal solution for multi-acre homeowners, ranchers, golf courses, schools and lawn care professionals.

TRACK OPTIONS

All-terrain Tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach. Optional Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain.

Adjustable 12-way seat



SMARTRAC/PRO

The **SmarTrac™ Pro** control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.



DUAL FUEL TANKS

Two 7-gallon gas tanks mean fewer stops for refueling.

TORQFLEX™ SUSPENSION

TorqFlex front suspension delivers stability, a smooth ride and reduced operator fatigue.

AERO DECK™ CUTTING SYSTEM

Equipped with Altoz's exclusive 61" Finish Cut Aero Deck with adjustable baffles.

FLAT-FREE FRONT TIRES

Power through the harshest conditions, even rough terrain and sharp debris, with flat-free tires and rear-mounted track system.



The exclusive Aero Deck is .270" fabricated steel and features fully adjustable baffles, enabling you to customize your cut to various grass conditions.



Kawasaki™ 4-stroke engines are available in 29.5 hp (TRX 561 i) and 24 hp (TRX 354).

With its standard Turf Tracks, the **TRX 354** is ideal for multi-acre homeowners, outdoorsmen & farmers.

TRX 354

TURF TRACKS TREAD LIGHTLY

The patented TRX rear torsion axle track system delivers maximum traction for stability and low ground pressure for minimal compaction.



Combined with our rear torsion axle suspension system, the 12-way adjustable high-back suspension seat with arm rests delivers the industry's smoothest ride.



TALL GRASS & UNRULY TERRAIN



SLOPES



WET AREAS



Shown with Turf Tracks

TRACK OPTIONS

Standard Turf Tracks are less aggressive and perfect for soft ground, rolling hills and sensitive terrain. Optional All-terrain Tracks are ideal for side hilling, soft terrain and rough areas other mowers can't reach.

AERO DECK™ CUTTING SYSTEM

Equipped with Altoz's exclusive 54" Finish Cut Aero Deck with adjustable baffles.



Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.



The Altoz Independent Front Suspension (IFS) smooths out rough terrain for superb comfort and control. Available as an accessory on TRX 354 models.

QUICK SCAN
TO LEARN MORE



WHEELED MOWERS



XC SERIES

With a powerful and dynamic design, you get comfort and unmatched performance.

With a 35 hp Kawasaki FX engine, the powerful, high-performing **XC Series** delivers a precision cut you can be proud of.



RIDER COMFORT

4-Point Engine Isolation System (EIS) isolates and absorbs engine vibrations for greater rider comfort. 6-Point Vibration Isolation System (VIS) isolates the rider from ground vibrations. 12-way adjustable high-back suspension seat with arm rests and TorqFlex™ suspension work together to deliver the industry's smoothest ride.

Adjustable
12-way seat



POWER DECK LIFT

Conveniently located steering lever mounted control allows for quick and easy deck height adjustments without having to take your hand off the steering lever.

DUAL FUEL TANKS

14-gallon capacity for extended cutting times.



SmarTrac™

Monitoring System features a tachometer and resettable hour meter, maintenance reminders with alerts for low oil pressure and overheating.

BUILT FOR SPEED

With dual-range Hydro-Gear 5400 high/low transmissions and a top transport speed of 19 mph, the Altoz XC series can get the job done...fast.

FINISH CUT AERO DECK™

Our exclusive Aero Deck is .316" fabricated steel and features recessed anti-scalp wheels and fully adjustable baffles for a professional-grade cut every time. Available in 61" and 72" deck sizes.



The TorqFlex™ suspension system glides over tough terrain and isolates chassis and rider from ground chatter for greater rider comfort.



Heavy-duty, commercial Hydro-Gear® ZT-5400 dual range, smooth-running transmissions.

QUICK SCAN
TO LEARN MORE





XP HD SERIES

Zero turn. Zero compromise. Engineered to deliver maximum performance in demanding conditions.

The **XP HD Series** is engineered for reliability and a precise cut, designed for people who rely on their equipment to deliver nothing less than perfection.

ROLL-OVER PROTECTION SYSTEM

Our roll-over protection system can be easily folded down to avoid low hanging limbs.

Adjustable 12-way seat



SMARTRAC/PRO

The **SmarTrac™ Pro** control features a solid-state PTO switch, patented SoftStart clutch control that decreases mechanical wear and significantly increases deck belt life, a keyless push-to-start ignition, a large multifunction LCD screen and 6 ultra-bright status LEDs.



DECK HEIGHT ADJUSTMENT

Rotational deck height adjustment changes cutting height setting with the turn of a dial.



DUAL GAS TANKS

14-gallon capacity for extended cutting times.

ANTI-SCALP WHEELS

Recessed and adjustable.

FINISH CUT AERO DECK™

Our exclusive Aero Deck is .316" fabricated steel and features recessed anti-scalp wheels and fully adjustable baffles for a professional-grade cut every time. Available in 54", 61", 66" & 72" widths.

QUICK SCAN
TO LEARN MORE



Commercial-grade Hydro-Gear® 4400 transmissions ensure smooth, reliable and responsive operation.



Tapered heavy duty caster bearings with a 1-1/4" shaft, combined with a 3/8" thick steel front wheel fork ensure lasting performance in demanding environments.



LEAVE ORDINARY BEHIND

With a powerful and dynamic design, you get comfort and unmatched performance.

XE SERIES

The **XE Series** is rugged, reliable and built to endure.

QUICK SCAN
TO LEARN MORE



RIDER COMFORT

Comfort suspension seat with high back, arm rests and fore and aft adjustment.

PRECISE HANDLING

Commercial-grade Hydro-Gear® 3200 transmissions ensure smooth, reliable and responsive operation.

DUAL FUEL TANKS

10-gallon capacity for extended cutting times.

LOW IMPACT

Tires designed to lessen terrain impact and provide a smoother ride.

Our roll-over protection system can be folded down easily to avoid low hanging limbs.



XR SERIES

The **XR Series** is the perfect mower for discerning homeowners who take as much pride in their equipment as they do in their lawn.

BUILT TO COMMERCIAL STANDARDS

With its laser-cut steel chassis, fabricated cutting deck and heat dissipating deck spindles, the XR is built to perform.

INCREASED VISIBILITY

Low-profile front frame viewport allows for improved operator sight.

PRECISE HANDLING

Cut with speed and precision around trees, flowerbeds and other obstacles with the XR's responsive, commercial-grade Hydro-Gear® 3100 transmissions.



XE SS and XR SS models feature a double arm adjustable coil spring over gas shock front suspension. Available as an accessory on other XE and XR models.




48", 54" or 61" signature deep-deck design with adjustable baffles creates optimal vacuum for maximum grass lift, resulting in an exceptional cut.

QUICK SCAN
TO LEARN MORE



Add functionality and increase productivity with **Altoz accessories.**



Shown in transport position

TRX DECK WING EXTENSION

Perfect for solar fields, under fence lines, shore lines, ditch banks, water retention ponds and anywhere you need to get under or over. Ditch the string trimmers and reduce man hours, gain 25% more coverage than a 66" deck.



OPERATOR-CONTROLLED DISCHARGE cover allows you to open and close the outlet quickly while mowing.



LAWN STRIPING KIT

Stripe or create more complex patterns in the lawns you mow. Includes flexible rubber striper and all mounting hardware.



VERTICAL SERRATED BLOWER FAN

Mulches debris once again, reducing clogs and backups.

COLLECTION SYSTEM WITH DUMP BOX

Large-capacity collection system is an effective and efficient way to collect grass clippings and leaves. The dump box hopper holds up to 12 cubic feet and allows the operator to release contents right from the mower seat.



HITCH & RECEIVER HITCH KITS

Our standard hitch features a 5/8" opening for drop pin (available for all models). Our super-strong receiver hitch features standard 1-1/4" x 1-1/4" trailer hitch receiver.

INDEPENDENT FRONT SUSPENSION KIT

The industry's first parallel twin A-arm front suspension. Features finely-tuned adjustable coil springs over gas shocks.



QUICK SCAN
TO LEARN MORE



ACCESSORIES

VISIT **ALTOZ.COM** FOR THE COMPLETE LINE OF ACCESSORIES

MODEL SPECS



TRX SERIES



TSX SERIES



XC SERIES



XP HD SERIES



XE SERIES



XR SERIES



SWITCH

ZERO TURN MOWERS

	XR SERIES			XE SERIES			XP HD SERIES		
	XR 480	XR 540	XR 540 SS	XE 540	XE 610	XE 610 SS	XP 540 HD	XP 610 HDi	XP 660 HD
Model									
Engine	Kawasaki FR	Kawasaki FR	Kawasaki FR	Kawasaki FS	Kawasaki FS	Kawasaki FS	Kawasaki FX	Kawasaki FX EFI	Kawasaki FX
HP	23	23	23	24	24	24	27	29.5	35
Displacement	726 cc	726 cc	726 cc	726 cc	726 cc	726 cc	852 cc	852 cc	999 cc
Deck Width	48"	54"	54"	54"	61"	61"	54"	61"	66"
Weight	800 lbs	820 lbs	830 lbs	930 lbs	960 lbs	970 lbs	1330 lbs	1360 lbs	1400 lbs
Transmission	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3100	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-3200	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400	Hydro-Gear ZT-4400
Fuel Capacity	5 gallons	5 gallons	5 gallons	10 gallons	10 gallons	10 gallons	14 gallons	14 gallons	14 gallons
Rear Tire/Track Size	20"	20"	20"	22"	22"	22"	24"	24"	24"
Front Tire	—	—	—	—	—	—	—	—	—
Speed	8 mph	8 mph	8 mph	9 mph	9 mph	9 mph	11 mph	11 mph	11 mph
Instruments	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	Hour Meter	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro
Suspension	Independent Front Suspension (Accessory)	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	Independent Front Suspension (Accessory)	Independent Front Suspension (Accessory)	Independent Front Suspension (Standard)	—	—	—
Seat	Mid-back adjustable seat			High-back adjustable seat with arm rests			Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat
Deck Lift	Manual			Manual			Manual		
Warranty*	3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Year/400 Hours 1-Year No Hour Limitation			3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Year/600 Hours 1-Year No Hour Limitation			3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Years/1500 Hours First 2-Years No Hour Limitation		
Other**	—	—	—	—	—	—	—	—	—

All specifications and features are subject to change, see dealer for details. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information.

*See dealer for warranty details. For additional information, go to Altoz.com

**VIS = Vibration Isolation System; EIS = Engine Isolation System

			TRACKED ZERO TURN MOWERS				TRACKED STAND-ON MOWERS		COMPACT TOOL CARRIER
XC SERIES			TRX SERIES				TSX SERIES		SWITCH
XP 720 HD	XC 610 Z	XC 720 Z	TRX 354 Finish Cut	TRX 561 i Finish Cut	TRX 766 i Finish Cut	TRX 766 i All-terrain	TSX 561 i All-terrain	TSX 561 i Finish Cut	SWITCH
Kawasaki FX	Kawasaki FX	Kawasaki FX	Kawasaki FT	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EFI	Kawasaki FX EVO
35	35	35	24	29.5	38.5	38.5	29.5	29.5	34.5
999 cc	999 cc	999 cc	726 cc	852 cc	999 cc	999 cc	852 cc	852 cc	822 cc
72"	61"	72"	54"	61"	66"	66"	61"	61"	n/a
1415 lbs	1400 lbs	1500 lbs	1200 lbs	1540 lbs	1600 lbs	1600 lbs	1450 lbs	1450 lbs	1350 lbs
Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-3400	Hydro-Gear ZT-4400	Hydro-Gear ZT-5400 High/Low	Hydro-Gear ZT-5400 High/Low	Hydro-Gear PR 16cc Pumps/ Parker TF 195cc Wheel Motors	Hydro-Gear PR 16cc Pumps/ Parker TF 195cc Wheel Motors	Hydro-Gear Pumps/ Parker Motors
14 gallons	14 gallons	14 gallons	10 gallons	14 gallons	14 gallons	14 gallons	8.5 gallons	8.5 gallons	7 gallons
24"	26"	26"	11"×68"	11"×72"	11"×81"	11"×81"	11"×72"	11"×72"	9" x 110"
—	—	—	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	Flat Free	n/a
11 mph	19 mph	19 mph	8 mph	9 mph	11 mph	11 mph	up to 10 mph	up to 10 mph	up to 7 mph
SmarTrac Pro	SmarTrac	SmarTrac	Hour Meter	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro	SmarTrac Pro	Hour Meter/ Tachometer
—	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Independent Front Suspension (Accessory)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	TorqFlex Suspension (Standard)	Torsion Suspension (Standard)
Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Adjustable suspension seat	Operator Support Cushion		Operator Support Cushion
	Power		Manual				Manual		Power Attachment Lift
	3-Year Unlimited Engine* 2-Year Unlimited Transmission 3-Years/1500 Hours First 2-Years No Hour Limitation		3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer				3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer		3-Year Unlimited Engine* 2-Year Unlimited Transmission 1-Year Manufacturer
—	VIS / EIS**	VIS / EIS**	—	—	—	—	Adjustable Platform		Adjustable Platform/Lights



ALTOZ[®]
ALWAYS AHEAD[®]

Altoz, Inc.
20502 160th Street
Greenbush, MN 56726

Altoz.com

©2023 Altoz, Inc. All information contained within this publication is based on the latest product information available at the time of publication. Because Altoz, Inc. makes constant improvements in the design and quality of its products, some minor discrepancies may result between the actual machine and the information presented in this brochure. Altoz reserves the right to change specifications and design without notice. Depictions of operation are intended for reference only. Always wear the proper personal protective gear and operate within your capability. No liability can be accepted for omissions or inaccuracies. Engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's website for additional information. Altoz, the Altoz logo, TorqFlex, Aero Deck, SmarTrac Pro and Switch are trademarks of Altoz, Inc. Other trademarks are the property of their respective owners. Printed in the USA.

MADE IN THE
USA